


COLUMN SCHEDULE		C1	C2	C3	C4	C5	C6	C7	C8	C9	C10
FOUNDATION TO 1ST. FLOOR LEVEL	SECTION WITH MAIN STEEL	8mm Tor@6\"/>									
	LINKS	8mm @ 6\"/>									
1ST. FLOOR TO 3RD. FLOOR LEVEL	SECTION WITH MAIN STEEL	10-25 mm Tor	10-25 mm Tor	10-25 mm Tor	12-25 mm Tor	12-25 mm Tor	12-25 mm Tor + 4-20 mm Tor	12-25 mm Tor + 4-20 mm Tor	16-25 mm Tor + 4-20 mm Tor	12-25 mm Tor	12-25 mm Tor
	LINKS	8mm @ 6\"/>									
3RD. FLOOR TO 5TH. FLOOR LEVEL	SECTION WITH MAIN STEEL	8-16 mm Tor + 2-12 mm Tor	8-20 mm Tor	10-25 mm Tor	10-20 mm Tor	12-20 mm Tor	10-20 mm Tor + 4-16 mm Tor	12-25 mm Tor	12-25 mm Tor	12-25 mm Tor	12-25 mm Tor
	LINKS	8mm @ 6\"/>									
5TH. FLOOR TO 7TH. FLOOR LEVEL	SECTION WITH MAIN STEEL	8-16 mm Tor	8-16 mm Tor	10-20 mm Tor	8-20 mm Tor	8-20 mm Tor	10-20 mm Tor	12-20 mm Tor	12-20 mm Tor	12-20 mm Tor	12-20 mm Tor
	LINKS	8mm @ 6\"/>									
7TH. FLOOR TO ROOF LEVEL	SECTION WITH MAIN STEEL	8-16 mm Tor	8-16 mm Tor	10-20 mm Tor	8-16 mm Tor	8-16 mm Tor	8-20 mm Tor	8-20 mm Tor + 4-16 mm Tor	10-20 mm Tor	12-20 mm Tor	12-20 mm Tor
	LINKS	8mm @ 6\"/>									



S.NO.	SLAB MARKED	AT SMALLER SPAN alternate cranked at support	AT LONGER SPAN alternate cranked at support
1.	S1(4.5\"/>		
2.	S2(4.5\"/>		
3.	S3(5\"/>		
4.	S4(5\"/>		
5.	S5(5.5\"/>		