







STRUCTURAL DETAILS



FOOTING SCHEDULE		GRADE OF CONCRETE = M 20 (1:1.5:3)						
S.NO.	FOOTING MARKED	FOOTING SIZE		D	C	G	FOOTING REINFORCEMENT	
		L	B				N	K
1.	F1	2.43M	2.43M	0.45	0.30	0.15	12 TOR @ 0.15 C/C	12 TOR @ 0.15 C/C
2.	CF2	5.33M	3.34M	0.45	0.30	0.15	12 TOR @ 0.15 C/C	12 TOR @ 0.15 C/C



COLUMN SCHEDULE			
COLUMN SIZE	B	C2	0.23 M
	L		0.45M
CONCRETE GRADE			M25 & Fe 500
SECTION WITH MAIN STEEL			<p>● ← 4- 20 mm. Tor + ○ ← 2- 16 mm. Tor +</p>
LINKS			<p>4L-8 mm. LINK @ 0.15 C/C AT CENTRE 0.10 C/C AT SUPPORT</p>
COLUMN SCHEDULE			
COLUMN SIZE	B	C5	0.23M
	L		0.30M
CONCRETE GRADE			M25 & Fe 500
SECTION WITH MAIN STEEL			<p>● ← 4- 16 mm. Tor +</p>
LINKS			<p>8 mm. @ 0.15M C/C AT SUPPORT & 8 mm. @ 0.20M C/C AT MIDDLE</p>