Mango Municipal Corporation

Version Number: 1.0.70 Version Date: 16/10/2020 Report Generated On: 17-04-2024

Failed List Report

[-] Collapse All

	General Details		Plot Details
Region	JHARKHAND URBAN LOCAL BODIES	Plot Use	Assembly
District	EAST SINGHBHUM	Plot SubUse	Marriage Hall
Authority	MANGO MUNICIPAL CORPORATION	PlotNearbyReligiousStructure	NA
Inward_No	MNAC/BP/0072/W10/2022/ALT2	Plot/SubPlot No	773,774,775,776
Application Type	General Proposal	North	Plot No ASHIYANA SUN CITY
Project Type	Building Permission	South	Road Width - N. H 33
Nature of	Addition or Alteration	East	Plot No OTHER'S PLOT
Development		West	Plot No OTHER'S PLOT
Location of	New Area		
Development Area			
City Area/TPScheme	NA		
No			
Village	Baliguma		
Taluka	16		
Layout Sanction Date	19/10/2022		
	Architect Details		
Architect Name	MUKESH KUMAR		
License No.	MNAC/ENG/0002/2017		
Architect Address	Bistupur Jamshedpur		
Architect EmailID	srishtidesigner@rediffmail.com		
Architect Mobile No	9934333171		
	Owner's Details		

Owner's Details

Name	1 . MR. SUBHASH JAISUKA , 2 . MR. VIKASH JAISUKA , 3 . MR. RAJESH KUMAR AGARWAL , 4 . BABA SHYAM STEEL , 5 . NAND KISORE AGRWAL , 6 . LILLY AGARWAL
Address	h. no. 22A , NAYA BAZAR ROAD , JUGSALI , JAWSHEDPUR
Email ID	shreeshyamtraders5391@gmail.com
Mobile No	9334099737

[-] Plot Details (Table 2)

[-] Area From Document (Table 2a)

No.Form		Area
1 Deed(Sale Deed, Gift De	ed and Lease Deed) or Agreement	9382.08
2 Plot area as per Docume	ent by Applicant	9382.08
3 Physical area measured	at site	9382.08
4 Area as per Site Visit (S	ite Visit Report)	9382.08
5 Area as per Drawing		9382.08

Area of Plot Considered: 9382.08

Plot area provided in drawing shall not be more than Plot area as per Document.

[-] Table 2b		
Proposal Detail :		
Unit		
Development Detail :		
Plot	P	PLOT
Plot Occupancy	Δ	ssembly
Plot SubUse	l l	1arriage Hall
Building Structure	N	lon-Highrise
Building Type	S	Single Detached House
Gross Plot Area		9382.08
Net Plot Area (Gross Plot Area - Deduction from Gross Plot area)		9382.08
Balance Plot Area (Net Plot Area - Recreational/Amenity space)		6377.86
Deductions for Balance Plot Area (from Gross Plot Area)		3004.22
- Common Plot	3004.22	
Balance Plot Area		6377.86

Γ-1	Ta	hle	20

4691.04
2181.15
2181.15
2509.89
21109.68
21109.68
402.31
7817.20
8253.76
8253.76
0.88
12855.92
9476.69

[-] Site Visit Data Report

1-1 Site Visit Data Report		
Details	Values as per Site Visit	Values as per Drawing
Lenght of Road	Exceeding 100 meter and upto 250 meter	-

Existing Road Width	48.76	48.76
Proposed Road Width as per Master Plan	48.76	-
Road Widening Width	0	-
Plot size (as per measurement)	9382.08	9382.08

[-] Extra Land Area Checks			
Name	Α	rea	Status
	Reqd	Prop	
Extra Land	-	0.00	OK

[-] Rules	Rule
Plot Level	Ruie
Plot Area	The minimum size of plot for Marriage Hall category shall be 1000.0 sq.mt. {As per Rule No. 35.1, Table 7}
Plot Width	The minimum size of plot for Marriage Hall category shall be 1000.0 sq.mt. (As per Rule No. 35.1, Table 7)
Plot Depth	The minimum size of plot for Marriage Hall category shall be 1000.0 sq.mt. {As per Rule No. 35.1, Table 7}
Access Width	The minimum width of abutting road for Marriage Hall category shall be 12.20 mt. {As per Rule No. 35.1, Table 7}
Plot Frontage	The minimum size of plot for Marriage Hall category shall be 1000.0 sq.mt. {As per Rule No. 35.1, Table 7}
FAR Area	(1) For Educational, Institutional and Assembly building above 1000 sq.mt. Plot area, the Floor Area Ratio-FAR shall be 2.25 {As per Rule No. 39.3} (2) For MANGO NAC, Max. 3.0 permissible FAR may be permitted for Commercial or Mercantile type Use {As per Annexure III}
Consumed FAR	(1) For Educational, Institutional and Assembly building above 1000 sq.mt. Plot area, the Floor Area Ratio-FAR shall be 2.25 {As per Rule No. 39.3} (2) For MANGO NAC, Max. 3.0 permissible FAR may be permitted for Commercial or Mercantile type Use {As per Annexure III}
Common Plot Area Common Plot	In case of multi-storied buildings/ Group Housing /Apartment building/ Industrial/ Assembly/ Educational/ Institutional buildings, it is desirable that at least 10% of the land shall be covered by plantation (tree cover) {As per Rule No.33} (1) In case of multi-storied buildings/ Group Housing /Apartment building/ Industrial/ Assembly/ Educational/ Institutional buildings, it is desirable that
Common Plot	(1) in case of multi-storied buildings, Group Housing Apartment building Industrial, Assembly Educational, Institutional buildings, it is desirable tria at least 10% of the land shall be covered by plantation (tree cover) {As per Rule No.33} (2);
Tree Number	Mini. 8 Trees shall be required for the Plot area above 1000.0 sq.mt. (As per Rule No. 20.1.6)
OriveWay Rule	(1) The minimum width of the drive way meant exclusively for 2 wheelers should be 3.0 mt {As per Rule No. 41.2} (2) For Plor area above 2000 sq.mt., The minimum width or driveways should not be less than 4.50 mt. {As per Rule No. 41.2 and modified as per Notification from Govt. of Jharkhand 3141 dated 15/05/2017}
Margin Rule	(1) For Assembly Building, Margin required in Front shall be 12.0 mt., Rear 6.0 mt. and 6.0 mt. shall be provided on both side. {As per Rule No. 38.2.3} (2) For Commercial & Storage buildings having plotarea above 1000 sq.mt., Margin required in Front shall be 9.0 mt., Rear 6.0 mt. and 6.0 mt. shall be provided on both side. {As per Rule No. 38.2.5}
PWork to PWork Margin	Read Building to Building margin shall be 6 mt. or 1.5 times side setback required for the taller block whichever is high {As per Rule No. 38.1}
Building Level	
Floor Height	(1) The height of all rooms for human habitation shall not be less than 2.75 m measured from the surface of the floor to the lowest point of the ceiling (bottom of slab){As per Rule No.42.2.1} (2) The height of all rooms for human habitation shall not be less than 2.75 m measured from the surface of the floor to the lowest point of the ceiling
Parapet Height	(bottom of slab){As per Rule No.42.2.1} (1) Parapet of suitable height may be constructed to hide installation like water tank and for other such purpose {As per Rule No. 42.5 and Updated as
	per JBBL, A mendment VIII dated 16/03/2021} (2) Parapet of suitable height may be constructed to hide installation like water tank and for other such purpose {As per Rule No. 42.5 and Updated as
	per JBBL, A mendment VIII dated 16/03/2021} (3) Parapet of suitable height may be constructed to hide installation like water tank and for other such purpose {As per Rule No. 42.5 and Updated as
	per JBBL, Amendment VIII dated 16/03/2021}
Floor Number Lift Count	No Rule Defined (1) The lift shall have a minimum width 1.7 mt. and minimum depth 1.9 mt.{As per clause no 4 and page no. 14 NBC }
LIIL COUNT	(1) The lift shall have a minimum with 1.7 lift, and minimum depth 1.9 lift. (As per clause no 4 and page no. 14 NBC } (2) For Non-Residential Building, No Lift is read for Building upth G+2 floor (As per Rule No. 49.2.2)
	(3) The lift shall have a minimum width 1.7 mt. and minimum depth 1.9 mt. (As per clause no 4 and page no. 14 NBC)
	(4) For Non-Residential Building, Minimum number of lifts to be 2 for all non-residential building above ground + 2 and the minimum capacity shall be 6
	persons per floor. {As per Rule No. 49.2.3 and as per Notification from Govt. of Jharkhand 3141 dated 15/05/2017}
Lift	 The area of lift well shall not be counted for F.A.R calculation) The lift shall have a minimum width 1.7 mt. and minimum depth 1.9 mt. {As per clause no 4 and page no. 14 NBC } -
	(4) The area of lift well at one floor only (not the sum of total area of lift well at every floor) shall be counted for F.A.R calculation)
	(5) The lift shall have a minimum width 1.7 mt. and minimum depth 1.9 mt.{As per clause no 4 and page no. 14 NBC }
StairCase	(1) Width of Winding staircase shall be mini. 0.90 mt., Maximum rise 0.20 mt. & Minimum tread 0.25 mt. & Cabin Height 2.1 mt. (As per Rule No. 83.18)
	(2); No Rule Defined (3) No Rule Defined
	(4); No Rule Defined
Plot / Building Level	,
Accessory Use	(1) Common toilet of maximum size of 5 sq.mt shall be taken Free from FAR
	(2) No need to check distance from Building Toilet1.36X3.68 (3) Common toilet of maximum size of 5 sq.mt shall be taken Free from FAR
	(3) Common United of maximum size of 3 sq.ini shari be taken Free from FAK (4) No need to check distance from Building Toilet
	(5) -
	(6) No need to check distance from Building Swimming Pool
	(7) -
	(8) No need to check distance from Building SUMP TANK (9) The dimension of recharging pits/trenches shall be at least 6 cubic meters for every 100 Sg. m. of roof area
	(10) No need to check distance from Building RAIN WATER HARVESTING
	(11) No need to check distance from Building ENT.GATE
	(12) Guard room of max. 10 sq.mt. maximum size of 5 sq.mt shall be taken Free from FAR
	(13) No need to check distance from Building GUARD ROOM
	(14) Entrance Lobby of maximum size of 12 sq.m. shall be taken Free from FAR
	(15) No need to check distance from Building Entrance Lobby (16) -
	(17) No need to check distance from Building SOLAR HEATING SYSTEM
	(18) Electric cabin or substation of maximum size of 4 sq.m. with minimum width or diameter of 2 m
	(19) No need to check distance from Building Generator Room
Accessory Use Number	(1) Provision of Rain Water Harvesting shall be mandatory for any use {Updated as per JBBL, Amendment VIII dated 16/03/2021} Rain Water
	Harvesting (2) For Community Centers, Banquet Halls, Barat ghars, Kalayana Mandaps and buildings for similar use, Provisions of Solar Water Heating System sha
	(2) For Community Certlers, banquet nams, barat grans, karayana manuaps and bundings for similar use, Provisions of Solar Water neating System shall be done. Solar Water heating System shall be done. Solar Water heating System shall be done.
	(3) In case of buildings with a height of 15.0 meters and above or ground coverage more than 500 sqm., the main entrance to the premise shall not be
	ess than 5 (five) meters i n width in order to allow easy access to fire engine Entrance Gate
Building Level (Rooms)	
Conference4.95x4.20	
Hall13.81x1.65	No Rule Defined
Hall13.81x18.40	No Rule Defined
Reception11.81x5.18	
o Room4.60x6.64	No Rule Defined
Room1.64x2.55	No Rule Defined
Room1.64x2.57	No Rule Defined
Room1.64x2.61	No Rule Defined
Room1.64x2.63	No Rule Defined
Room1.64x2.74	No Rule Defined
Room1.64x5.18	No Rule Defined
Room2.00x5.01	No Rule Defined
Room2.10x4.41	No Rule Defined
Room2.44x7.57	No Rule Defined

Room2.44x7.57

Room2.47x4.82	No Rule Defined
Room2.73x4.85	No Rule Defined
Room2.89x4.82	No Rule Defined
Room3.24x2.44	No Rule Defined
Room3.24x5.18	No Rule Defined
Room4.74x7.42	No Rule Defined
Room4.88x1.07	No Rule Defined
Room4.88x5.18	No Rule Defined
Sitout4.54x1.78	No Rule Defined
Spa3.96x6.48	No Rule Defined

--- End ---