



**CERTIFICATE**  
 THIS IS TO CERTIFY THAT THE STRUCTURAL DESIGN OF THIS BUILDING WILL BE AS PER IS-1803 & IS-4326-1993 TO MAKE THE SAME EARTH QUAKE RESISTANT.

**SPECIFICATION**

- D.P.C 1:24-1:3 / C/C
- COLUMN & FOOTING R.C.C M20
- BEAMS, SLAB & LINTEL R.C.C M20
- WALLS- BRICKWORK IN C.M 1:6.
- WINDOWS- FULLY GLAZED STEEL CASEMENT.
- DOORS- 55MM TH. FLUSH DOORS.
- PLASTER- 1:2 TH. PLASTER ON WALL 1:6.
- WALL FINISH - DRY DISTEMPER ON INSIDE SNOW CEM ON OUTSIDE.
- FLOORING- IN SITU MOSAIC FINISH.
- WIRING- CONCEALED COPPER WIRING.

**SCHEDULE OF DOORS & WINDOWS**

TYPE	WIDTH	HT.	SILL	DESCRIPTION
D	0.75	2.1	0.00	SALFRAME
D1	0.9	2.1	0.00	FLUSH SHUTTER
D2	0.975	2.1	0.00	FLUSH SHUTTER
D3	1.05	2.1	0.00	GLAZED SHUTTER
W	0.9	1.2	0.75	SALFRAME
W1	1.2	1.2	0.9	SALFRAME
W2	1.5	1.2	0.9	SALFRAME
V1	1.2	AS/SITE	AS/SITE	VENTILATOR
V	0.6	0.6	1.5	VENTILATOR

**AREA STATEMENT**

RESIDENCE				
COVERED AREA	BUILT UP AREA	C.B	BALCONY	TOTAL
GROUND FLOOR	:4E:7D	-	-	:4E:7D
FIRST FLOOR	:4E:7D	-	-	:8E:7D
<b>TOTAL</b>				<b>392870</b>

% OF GROUND COVERAGE = 41.82%  
 F.A.R = 0.86

DRG. No.-	SHEET NO- 1.
DRAW	DRAWN BY

**OWNER SIG.**

**ARCHITECT SIGNATURE**

**PROJECT TITLE**  
 PROPOSED RESIDENTIAL BUILDING G+1 FLOOR OF MR. SATYANARAYAN PRASAD GUPTA, SANJAY PRASAD SAHU S/O LATE- LALIT SAHU ON PLOT NO:-1018, KHATA NO:-33 THANA NO :-59 PALKOT RD GUMLA, THANA - GUMLA, WARD NO-11, HOLDING NO-01/00025500/4 AT VILLAGE -GUMLA, DIST- GUMLA, (JHARKHAND)

SCALE	DATE	DRAWN	CHECKED	APPROVED
1:100				

**CHOUHADDI-**  
 NORTH -  
 SOUTH - PALKOT ROAD  
 EAST -  
 WEST -

