



| SCHEDULE OF OPENINGS |      |            |   |
|----------------------|------|------------|---|
| SL.NO.               | TYPE | SIZE       | DESCRIPTION                                 |
| 1.                   | D    | 0.75X2.10  | Sal wood chaukhata & Commercial Ply Shutter |
| 2.                   | D1   | 0.90X2.10  | Sal wood chaukhata & Commercial Ply Shutter |
| 3.                   | D2   | 0.975X2.10 | Sal wood chaukhata & Commercial Ply Shutter |
| 4.                   | D3   | 1.05X2.10  | Sal wood chaukhata & Commercial Ply Shutter |
| 5.                   | V    | 0.60X0.60  | Fully glazed Al. Sliding window             |
| 6.                   | W    | 0.90X0.90  | Fully glazed Al. Sliding window             |
| 7.                   | W1   | 0.90X1.20  | Fully glazed Al. Sliding window             |
| 8.                   | W2   | 1.20X1.20  | Fully glazed Al. Sliding window             |
| 9.                   | W3   | 1.50X1.20  | Fully glazed Al. Sliding window             |

| SPECIFICATION |  |
|---------------|--|
| 1.            | R.C.C.(1:2:4) IN COLUMN FOUNDATION WITH R.C.C. TIE BEAM                                    |
| 2.            | SUPER STRUCTURE 1ST CLASS BRICK WORK IN C.M (1:6)  |
| 3.            | R.C.C.(1:2:4) IN LINTEL CHAJJA, ROOF SLAB, STAIRCASE COLUMN E.T.C. AS PER DESIGN ENGINEER. |
| 4.            | SAL WOOD CHAUKHAT IN DOORS & ALUMINIUM FRAME IN WINDOWS.                                   |
| 5.            | 12 MM CEMENT PLASTER IN C.M(1:4) INSIDE & OUTSIDE WALL SURFACE.                            |
| 6.            | 6MM CEMENT PLASTER IN C.M(1:4) IN CEILING.   |
| 7.            | DOOR SHUTTER COMMERCIAL PLY FLUSH DOOR SHUTTER.  |
| 8.            | WINDOW SHUTTER ALUMINIUM GLAZED SLIDING PANNEL.  |
| 9.            | CERAMICS TILES FLOORING IN ALL ROOMS.  |
| 10.           | SNOWCEM FINISHING IN ALL ROOMS & OUT SIDE WALL.  |

| AREA CALCULATION    |                         |
|---------------------|-------------------------|
| TOTAL PLOT AREA     | = 490.33 snt            |
| GROUND FLOOR AREA   | = 139.35 snt            |
| 1st FLOOR AREA      | = 139.35 snt            |
| TOTAL BUILT-UP AREA | = 278.70 snt            |
| F.A.R. ACHIEVED     | = 278.70/490.331 = 0.56 |
| GROUND COVERAGE     | = 139.35/490 = 28.41 %  |
|                     | 490.33                  |

PROPOSED RESIDENTIAL BUILDING FOR  
 SR.KULDEEP SINGH S/O:- LATE TIRTHNATH SINGH,  
 ON R/S PLOT NO :- 678  
 KHATA NO :- 22, THANA NO :- 48,  
 AT VILLAGE :- GUMLA,  
 THANA :- GUMLA,  
 DIST :- GUMLA, JHARKHAND.

SIGNATURE OF APPLICANT :-

SIGNATURE OF ARCHITECT :-