



SCHEDULE OF OPENING						
SL.NO.	ITEMS	TYPE	WIDTH	HIGHT	BILL. LVL.	DESCRIPTION
1.	DOOR	D	1050	2100	NIL	FLUSH DOOR
		D1	975	2100	NIL	FLUSH DOOR
		D2	900	2100	NIL	FLUSH DOOR
		D3	750	2100	NIL	FLUSH DOOR
2.	WINDOW	W1	1500	1200	900	GLAZED WINDOW
		W2	1200	1200	900	GLAZED WINDOW
		W3	900	1200	900	GLAZED WINDOW
		V	600	600	1500	VENTILATOR

- SPECIFICATIONS**
- FOUNDATION : SHOWN AS PER FOUNDATION DETAILS.
 - FLOOR : 25THK FLOOR FINISH OVER 75THK. P.C.C.
 - D.P.C. : 25THK D.P.C. AT PLINTH LEVEL IN C.M.
 - MORTAR :
 - LINTEL : 150THK. D.P.C. AT PLINTH LEVEL IN C.M. 1:2:4
 - ROOF : 100 THK. R.C.C. ROOF SLAB IN C.M. 1:2:4
 - SUPER STRUCTURE : 250THK. OF 125THK. 1ST CLASS BRICK WORK IN C.M. MORTAR 1:6.
 - PLASTER : 12M THK. CEMENT INTERNAL EXTERNAL.
 - WOOD WORK : SAL WOOD CHALKAT & EXTERNAL.
 - SEPTIC TANK : SEPTIC TANK WILL BE FLUSHING SYSTEM.
 - REINFORCEMENT : ALL REINFORCEMENT SHALL B OF TOR STEEL OF GRADE FY-415.
 - FINISHING : 2 COATS OF WHITE WASH/SOCCEM WASH.

AREA CALCULATION

PROPOSED RESIDENTIAL BUILDING PLAN OF RASHMI INDWAR,
R. S. PLOT NO. -124, KHATA NO.- 48, VILLAGE - KARANTOLI, THANA - GUMLA, THANA NO. -58, DIST. - GUMLA, STATE -- JHARKHAND.

NOTE:- ALL THE DIMENSIONS ARE IN METER.

SIGNATURE OF APPLICANT SIGNATURE OF LIC. ENGINEER

