



General notes	
1	ALL DIMENSION ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
2	NO DIMENSION IS TO BE SCALED OFF THE DRAWING.
3	DRAWINGS TO BE READ IN CONJUNCTION WITH ALL RELEVANT DRAWINGS & SPECIFICATIONS.
4	REFER WRITTEN DIMENSIONS ONLY.
5	DOORS AND WINDOW FRAME NOT TO BE FIXED ALONG WITH BRICK WORK.
6	INTERNAL PLASTER SHOULD BE 12MM THICK AND EXTERNAL PLASTER IS 25MM THICK.
7	FOUNDATION DEPTH UPTO GOOD SOIL.
8	CEMENT MORTAR OF MIX (1:6) FOR ENTIRE STRUCTURE AND PLASTER WORK.
9	SEPTIC TANK WILL BE FLUSHING SYSTEM.
10	ALL REINFORCEMENT SHALL BE OF TOR STEEL OF GRADE FY-415.
11	GRADE OF CONCRETE SHALL BE M-20

	TYPE	WIDTH	HEIGHT	SILL LVL	DISCRPTION
Schedule of openings	D	1000	2100	NILL	SINGLE SHUTTER FLUSH DOOR
	D1	1000	2100	NILL	" "
	D2	900	2100	NILL	" "
	D3	700	2100	NILL	" "
	CG	1500	2100	NILL	STEEL CHANNEL GATE
	W	1500	1200	900	4 LEAF GLAZED WIND
	W2	1200	1200	900	" "
W3	900	1200	900	" "	
V	600	300	2400	VENTILATOR	

Schedule of area	
PLOT AREA AS PER SITE	- 196.843 SQ.M.
AREA OF GROUND FLOOR	- 92.018 SQ.M.
TOTAL BUILD UP AREA	- 92.018 SQ.M.
% OF COVERED AREA	- 46.746%
TOTAL F.A.R. ACHIEVED	- 0.467

owner
PROPOSED RESIDENTIAL BUILDING PLAN OF REENA RITIKA TIRKEY, D/O, YASHWANT TIRKEY, PLOT NO:-58, KHATA NO:-67 , AREA - 05 DISMIL, WARD NO:-08, MAUJA- NADIYA , THANA NO:-195, THANA- LOHARDAGA, DISTRICT - LOHARDAGA. (JHARKHAND)

architect
AH GROUP
Architecture & Design
New Road, Lohardaga (Jharkhand)
Mobile No: 09304264642
E-mail: - mohdau.haque25@gmail.com

ISSUE ONLY FOR CLIENT			
SCALE	DATE	SHEET NO.	N W E S
1 : 100		01 OF 01	

CLIENT	ENGINEER / ARCHITECT