




SPECIFICATION			
1. FOUNDATION	SHOWN IN DETAIL OF COLUMN & FOUNDATION.		
2. FLOOR	25 TH. FLOOR FINISH WITH GREY MOSAIC.		
3. D.P.C.	25 TH. DAMP PROOF COURSE AT FLOOR LEVEL IN C.M. (1:2:4)		
4. LINTEL	150 TH. RCC LINTEL IN CEMENT CONCRETE (1:2:4)		
5. ROOF	150 TH. RCC ROOF SLAB IN C.C. (1:1:1)		
6. SUPER STRUCTURE	150 TH OR 200 TH 1ST CLASS BK. WORK IN CM (1:8) ON R.C.C. FRAME STRUCTURE.		
7. PLASTER	12 TH. CM PLASTER INTERNAL & EXTERNAL SURFACES ON THE WALL & M. TH. FOR CEILING (1:4)		
8. DOOR	COMMERCIAL FLUSH DOORS WITH ANGLE IRON FRAME.		
9. WINDOWS & VENTILATORS	STEEL CASMENT FULLY GLAZED.		
10. INTERNAL FINISHING	OIL BOND DISTEMPER ONE COAT.		
11. EXTERNAL FINISHING	CEMENT BASED PAINT.		
12. BEVERAGE DISPOSAL	THROUGH SEPTIC TANK & SOAK PIT.		
13. WATER SUPPLY	THROUGH BORE WELL & ON WATER TANK.		
14. ELECTRICAL	CONCEALED WIRING WITH COPPER CONDUCTOR.		

SCHEDULE OF DOORS & WINDOWS.					
S. NO.	ITEM	WIDTH	HEIGHT	SILL L. VL.	
1	DOOR	D	1000	2100	00
		D1	900	2100	00
		D2	700	2100	00
2	WINDOW	W	1800	2250	900
		W2	1200	1500	900
		W3	1000	1500	900
3	VENTILATOR	V	600	600	1500
		V	1200	900	900

ALL DIMENSIONS ARE IN Mtr



DESIGNED & CHECKED BY	date :	sheet	NORTH
DRAWN	scale: 1:100 OF 00 DOWN	01 of 02	
Drg. Name : Submission Drawing		ISSUE ONLY FOR Submission/construction.	

CLIENT	ENGINEER