



This certifies that the structure design is in accordance with the latest I-S code (I-S 875, I-S 456-2002, I-S 1893-2000) for design & loading conditions (Seismic/wind/dead/live) and other all parameters are taken in account for safety of the structure.

- Specifications**
- BRICK WORK IN FOUNDATION & SUPERSTRUCTURE.
 - FIRST CLASS BRICK WORK IN CEMENT MORTAR (1:6)
 - D.P.C. - " D.P.C. IN CEMENT CONCRETE (1:2:4).
 - FLOOR----- (a) 1" I.P.S. (b) MOSAIC FLOORING.
 - ROOF----- 5 1/2" THK. R.C.C. ROOF (1:1.5:3)
 - LINTEL BAND AT 3' LVL-- 6"THK. R.C.C. LINTEL (1:1.5:3)
 - STAIRS RISE-- 6", TREAD-- 10"
 - DOORS- D-3'X7'0", D1-3'0"X7'0", D2-2'6"X7'0"
 - WINDOWS-----W-5'0"X4'0", W1-4'0"X4'0", W2-2'6"X4'0"
 - VENTS-----2'0"X2'0"
 - SAL WOOD FRAME & PAISAL WOOD SHUTTERS SHALL BE USED FOR DOOR .
 - ALMUNUM GLAZED WINDOW AND VENTILATORS WITH GUARD BARS SHALL BE USED.
 - I.P.S. FLOOR SHALL BE USED OVER R.C.C. SLAB/P.C.C.
 - ALL MASONARY SURFACES SHALL BE PLASTERED WITH CEMENT MORTAR 1:6 R.C.C.WITH CEMENT MORTAR 1:4 IN ROOF
 - ALL STEEL AND WOOD WORK SHALL BE PAINTED WITH SYNTHETIC PANT .
 - ALL SANITARY AND ELECTRICAL FITTINGS SHALL BE OF STANDERD AND COMMERCIAL QUALITY .

CLIENT

PROPOSED RESIDENTIAL BUILDING FOR KRISHNA MURARI BATHWAL S/O JAGDISH PRASAD BATHWAL, LAND UNDER MOUZA :-MADHUPUR BAZAR NO.- 259, WARD NO :- 8, UNDER THOKA NO.- 334, HOLDING NO-0080000380000M0 P.S.- MADHUPUR, DISTRICT :- DEOGHAR, JHARKHAND.

| | | |
|-----------------------------|-----------------|-------|
| DESIGNED BY | RAJKISHOR KUMAR | sheet |
| CHECKED BY | MD IRFAN | 01 |
| ISSUE ONLY FOR Submission . | | |