



SPACE FOR OFFICIAL USE

CERTIFICATE:

THIS IS CERTIFY THAT THE STRUCTURAL DESIGN OF THIS BUILDING IS AS PER IS CODE 189-1884-8 1993 TO MAKE THE SAME.

BRIEF SPECIFICATION

- BRICK WORK IN FOUNDATION & SUPERSTRUCTURE.
- FIRST CLASS BRICK WORK IN CEMENT MORTAR (1:6)
- D.P.C.--" D.P.C. IN CEMENT CONCRETE (1:2:4).
- FLOOR----- (a) 1" I.P.S. (b) MOSAIC FLOORING.
- ROOF----- 5 1/2" THK. R.C.C. ROOF (1:1.5:3)
- LINTEL BAND AT 3' LVL.-- 6"THK. R.C.C. LINTEL (1:1.5:3)
- STAIRS RISE-- 6", TREAD-- 10"
- DOORS D-3'3"x7'0", D1-3'0"x7'0", D2-2'6"x7'0"
- WINDOWS-----W-5'0"x4'0", W1-4'0"x4'0", W2-2'6"x4'0"
- VENTS-----2'0"x2'0"
- SAL WOOD FRAME & PAISAL WOOD SHUTTERS SHALL BE USED FOR DOOR .
- ALMUNIUM GLAZED WINDOW AND VENTILATORS WITH GUARD BARS SHALL BE USED.
- I.P.S. FLOOR SHALL BE USED OVER R.C.C. SLAB/P.C.C.
- ALL MASONARY SURFACES SHALL BE PLASTERED WITH CEMENT MORTAR 1:6 R.C.C.WITH CEMENT MORTAR 1:4 IN ROOF
- ALL STEEL AND WOOD WORK SHALL BE PAINTED WITH SYNTHETIC PANT .
- ALL SANITARY AND ELECTRICAL FITTINGS SHALL BE OF STANDERD AND COMMERRCIAL QUALITY .

SCHEDULE OF DOORS AND WINDOWS

S.No	Type	Width	Height	Lintel	Description
1	D	1200	2100	2100	double shutter panel door
2	D1	1050	2100	2100	single shutter panel door
3	D2	975	2100	2100	single shutter panel door
4	D3	900	2100	2100	single shutter panel door
5	D4	750	2100	2100	single shutter panel door
6	W	1200	1200	2100	4 leaf glazed shutter
7	W1	900	1200	2100	3 leaf glazed shutter
8	V	600	600	2100	ventilation

SCHEDULE OF AREA

PLOT AREA= 141.537 Sq.mt.
 PROPOSED BUILT-UP-AREA=85.960 sq.mt
 PARKING=10.50 sq.mt
 COVRAGE=60.733%.

PROJECT TITLE

PROPOSED RESIDENTIAL BUILDING FOR MRS. DRAUPADI DEVI

CLIENT

PROPOSED RESIDENCE OF Mrs.DRAUPADI DEVI
 W/O - REKHLAL SAW
 MOZA- PATHER CHAPTI
 THANA NO.-271
 PLOT NO. -814
 DISTRICT - DEOGHAR, JHARKHAND

DESIGNED & CHECKED BY	scale:	sheet
	date :	01

ISSUE ONLY FOR SUBMISSION

ENGINEER **CLIENT**