



DOOR, WINDOW & VENT. SCHEDULE

	L	B	Sill No.	Remarks
1	D	1200	2100	WOODEN SINGLE LEAF PANELED DOOR
2	D1	1050	2100	SINGLE LEAF FLUSH DOOR
3	D2	900	2100	SINGLE LEAF FLUSH DOOR
4	D3	750	2100	SINGLE LEAF FLUSH DOOR
5	W	1500	1200	900 FULLY GLAZED MS WINDOW
6	W1	1200	1200	900 FULLY GLAZED MS WINDOW
7	W2	600	450	1650 FULLY GLAZED MS VENTILATOR

- FOUNDATION :- FOUNDATION SHOWN IN AS PER DETAIL.
- FLOOR :- CERAMIC TILES
- D.P.C. :- 40 THK. DAMP PROOF COURSE AT PLINTH LEVEL.
- LINTEL :- 100 THK. R.C.C. LINTEL IN C.C. (1:2-4)
- ROOF :- 100 THK. R.C.C. ROOF SLAB IN C.C. (1:2-4)
- SUPERSTRUCTURE :- 125 THK. OR 250 THK. 1ST CLASS B/W IN CM (1:6)
- PLASTER :- 12 THK. CEMENT PLASTER IN CM(1:6) OVER INTERNAL & EXTERNAL SURFACES OF THE WALL & 10 THK. CEMENT PLASTER COMMERCIAL FLUSH DOORS WITH SALWOOD FRAME.
- DOOR :- FULLY GLAZED ALUMINIUM.
- WINDOWS & VENT. :- THROUGH SEPTIC TANK
- SEWERAGE :- THROUGH BORE WELL & O.H. WATER TANK.
- ELECTRICAL :- CONCEALED WIRING WITH COPPER CONDUCTER.
- WATER SUPPLY :- THROUGH BORE WELL & O.H. WATER TANK.
- EXTERNAL FINISHING :- SNOWCEM.
- INTERNAL FINISHING :- PRIMER OVER P.O.CEMENT PUTTY.

SCHEDULE OF AREA

AREA OF PLOT	> 3006.87 Sqm. (32353.98 Sft)
COVERED AREA OF G.FLOOR	> 168.22 Sqm. (1810.04 Sft)
F.A.R. (FLOOR AREA RATIO)	> 0.05
% Ag. OF COVERED AREA AT G. FLOOR	> 5.59 %

PROPOSED RESIDENTIAL BUILDING PLAN OF SRI AMAR JYOTI KERKETTA PLOT NO. - 1937, MAUJA - NAIGAMTOLLSIMDEGA, KHATA NO. - 41/1, VILLAGE - NAIGAMTOLL P.S. - SIMDEGA, THANA NO. - 116, DIST. - SIMDEGA.

LICENSED ENGINEER SIGN. OWNER SIGN.

THE CREATION ARCHITECT & ENGINEERS
 MAIN ROAD SIMDEGA-835223

JUNIOR ENGINEER EXECUTIVE OFFICER
 NAGAR PARISHAD, SIMDEGA. NAGAR PARISHAD, SIMDEGA.

DETAILS OF LINTEL & R.C.C. BAND

S.No.	Height	Reinforcement	240 MM WALL
L	250 MM	Top 2 Nos. - 8 Bottom 2 Nos. - 8 Sps. 8 @ 150 C.C.	250X150
D	125 MM	Top 2 Nos. - 8 Bottom 2 Nos. - 8 Sps. 8 @ 150 C.C.	125X100