

DOOR, WINDOWS & VENT. SCHED.

ITEM	L	B	S. LVL.
D	1.200	2.100	
D1	1.050	2.100	
D2	0.900	2.100	
D3	0.750	2.100	
W	1.500	1.200	0.900
W1	1.200	1.200	0.900
W2	0.900	1.200	0.900
V	0.600	0.450	2.100

SPECIFICATIONS

- FOUNDATION - FOUNDATION SHOWN IN AS PER DETAIL.
- FLOOR - CERAMIC TILES.
-40 THK. DAMP PROOF COURSE AT FLOOR LEVEL.
- P.C. - 100 THK. E.C.C. LINTEL IN C.C. (1:2:4)
- ROOF - 100 THK. E.C.C. ROOF SLAB IN C.C. (1:2:4)
- SUPERSTRUCTURE - 125 THK. OR 250 THK. 1ST CLASS W IN CM (1:6)
- PLASTER - 12 THK. CEMENT PLASTER IN CM (1:6) OVER INTERNAL & EXTERNAL SURFACES OF THE WALL & 10 THK. CEMENT PLASTER.
- DOOR - COMMERCIAL FLUSH DOORS WITH SALWOOD FRAME.
- WINDOWS & VENT - FULLY GLAZED ALUMINIUM THERMALLY BREAKING.
- ELECTRICAL - CONCEALED WIRING WITH COPPER CONDUCTOR.
- WATER BOPPLY - FIBROGLASS BOPPLY WELL & O.R. WATER TANK.
- EXTERNAL FINISHING - SHOWERS IN.
- INTERNAL FINISHING - PRIMER OVER P.O.P/CEMENT PUTTY.

DETAILS OF OWNER

CONSULTANT:-

THE CREATION
 ARCHITECT & ENGINEERS
 MAIN ROAD SIMDEGA-832223

LICENSED ENG ARCH. SIGN. OWNER SIGN.

AUTHORITY SIGNATURES.

TOWN PLANNER EYE OFFICER
 N.P. SIMDEGA N.P. SIMDEGA

