



- GENERAL NOTES - NOTES & REFERENCES**
1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT
 2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
 3. DO NOT SCALE ANY DIMENSION.
 4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRGS.
 5. FOR RCC WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
 6. THE REINFORCEMENT SHALL BE COLD/TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm² AND CONFORMING TO I.S. 1786 - 1979.
 7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:-
 - (a) FOUNDATION 50 MM unless in contact with earth
 - (b) COLUMNS : 40 MM
 - (c) BEAMS (top & bottom) 25 MM side cover 25mm
 - (d) SLABS : 20 MM
 - (e) CHAJAS/CANOPY : 20 MM
 - (f) R.C.C. WALL : 25 MM
 8. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION, LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
 9. - - - - - INDICATES TOP BARS
- - - - - INDICATES BOTTOM BARS

DOORS, WINDOWS & VENT. SCHEDULE.

No.	ITEM	L	B	H	SILL
1.	D	1.20		2.10	
2.	D2	1.05		2.10	
3.	D3	0.75		2.10	
4.	W	1.50		1.20	0.90
5.	W1	1.20		1.20	0.90
6.	V	0.60		0.45	

REV.	NO.	DATE	REVISION
R1	18-03-2022		SUBMISSION DRAWING
R0			FOR APPROVAL

CLIENT:-
SRI MUKESH GOPE
S/O LATE GOPAL GOPE
KHATA NO.-147, PLOT NO.-4877,
THANA NO.-80, MAJJA-GOTRA.

PROJECT TITLE
PROPOSED RESIDENTIAL BUILDING
FOR SRI. MUKESH GOPE,
THAKURTOLI, SIMDEGA,
JHARKHAND.

DRAWING TITLE : DWG NO.
SUBMISSION DRAWING SD-06

SCALE	N.T.S
DATE	01-06-2022
DEALT	S.T.A

PROJECT NO.
CONSULTANT

ARCHITECT | ENGINEERS | PROJECT CONSULTANTS
Office : 1st FLOOR, OPP. CUSTEAM GALL, MAIN ROAD, SIMDEGA,
WEST BANGALORE DISTRICT - 560022
TELEPHONE : 981-79703179
E-mail : simdega@jgpe.com, jgpe@simdega.com

DRAWING RELEASED FOR:
 APPROVAL SUBMISSION
 ADVANCE COPY CONSTRUCTION

ENGINEER'S SIGN _____ OWNER'S SIGN _____