



**GENERAL NOTES - NOTES & REFERENCES**

1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT
2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
3. DO NOT SCALE ANY DIMENSION.
4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRESS.
5. FOR RCC WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (G.I.) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm<sup>2</sup> AND CONFORMING TO I.S. 1786 - 1979.
7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:
  - (a) FOUNDATION : 60 MM
  - (b) COLUMNS : 40 MM
  - (c) BEAMS (top & bottom) : 25 MM
  - (d) SLABS : 20 MM
  - (e) CHAJJAS/CANOPY : 20 MM
  - (f) R.C.C. WALL : 25 MM
8. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
9. - - - - - INDICATES TOP BARS  
- - - - - INDICATES BOTTOM BARS

**DOORS, WINDOWS & VENT. SCHEDULE.**

No.	ITEM	L	B	H	SILL
D	1.20		2.10		
D2	1.05		2.10		
D3	0.75		2.10		
W	1.50	1.20	0.90		
W1	1.20	1.20	0.90		
V	0.60		0.45		

R1	18-03-2023	SUBMISSION DRAWING
R0		FOR APPROVAL

rev.no. date revision

CLIENT-MR. LIBNUS TETE  
S/O LATE LAJURUS TETE  
KHATA NO.-14, PLOT NO.-1318, MAUZA-SIMDEGA, THANA NO.-116, BLOCK-SIMDEGA, DIST-SIMDEGA.

PROJECT TITLE  
PROPOSED COMMERCIAL PROJECT FOR MR.LIBNUS TETE, DUMARTOLI, SIMDEGA.

DRAWING TITLE : DWG NO.  
SUBMISSION DRAWING SD-45

SCALE	N.T.S
DATE	18-03-2023
DEALT	S.T.A

PROJECT NO.

CONSULTANT:  
  
ARCHITECT | ENGINEERS | PROJECT CONSULTANTS  
Office : 1st FLOOR, OPP. GULZAR GALL MAIN ROAD SIMDEGA.  
NEAR ANAND BHAVAN-83223.  
TELEPHONE : +91-707031170  
E-mail : libnustete@ymail.com, ngbhansoni@gmail.com.

DRAWING RELEASED FOR:  
 APPROVAL  SUBMISSION  
 ADVANCE COPY  CONSTRUCTION

ENGINEER'S SIGN OWNER'S SIGN