



- GENERAL NOTES - NOTES & REFERENCES**
1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT
  2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILIMETERS.
  3. DO NOT SCALE ANY DIMENSION.
  4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRESS.
  5. FOR RCC WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
  6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm<sup>2</sup> AND CONFORMING TO I.S. 1786 - 1979.
  7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:-
    - (a) FOUNDATION : 60 MM
    - (b) COLUMNS : 40 MM
    - (c) BEAMS (top & bottom) : 25 MM side cover 25mm
    - (d) SLABS : 20 MM
    - (e) CHAJJAS/CANOPY : 20 MM
    - (f) R.C.C. WALL : 25 MM
  8. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
  9. - - - - - INDICATES TOP BARS  
- . . . . . INDICATES BOTTOM BARS

**DOORS, WINDOWS & VENT. SCHEDULE.**

No.	ITEM	L	B	H	SILL
D	1.20		2.10		
D2	1.05		2.10		
D3	0.75		2.10		
W	1.50	1.20	0.90		
W1	1.20	1.20	0.90		
V	0.60	0.45			

RI	18-03-2022	SUBMISSION DRAWING
RO		FOR APPROVAL
rev.no.	date	revision

PROJECT TITLE  
 PROPOSED GROUND +1  
 RESIDENTIAL BUILDING  
 FOR SHRI POLICARP DUNGUND,  
 BAZARTOLI, SIMDEGA, JHARKHAND.  
 DRAWING TITLE : DWG NO.  
 SUBMISSION DWG. SD-03

SCALE : N.T.S  
 DATE : 18-09-2022  
 DEALT : S.T.A

CONSULTANT:  
  
 ARCHITECT | ENGINEERS | PROJECT CONSULTANTS  
 Office : 1st FLOOR, OPP. GULZAR GALL MAIN ROAD SIMDEGA,  
 NEAR ANAND BHAVAN-832223.  
 TELEPHONE : +91-707031170  
 E-mail : [bsrcecl@rediffmail.com](mailto:bsrcecl@rediffmail.com), [nagbansu@gmail.com](mailto:nagbansu@gmail.com).

DRAWING RELEASED FOR:  
 APPROVAL  SUBMISSION  
 ADVANCE COPY  CONSTRUCTION  
 ENGINEER'S SIGN \_\_\_\_\_ OWNER'S SIGN \_\_\_\_\_