



- GENERAL NOTES - NOTES & REFERENCES**
1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT.
 2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
 3. DO NOT SCALE ANY DIMENSION.
 4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DROGS.
 5. FOR RCC WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
 6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm² AND CONFORMING TO I.S. 1786 - 1979.
 7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:-
 - (a) FOUNDATION : 60 MM
 - (b) COLUMNS : 40 MM
 - (c) BEAMS (top & bottom) : 25 MM side cover 25mm
 - (d) SLABS : 20 MM
 - (e) CHAJJAS/CANOPY : 20 MM
 - (f) R.C.C. WALL : 25 MM
 8. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
 9. - - - - - INDICATES TOP BARS
 - - - - - INDICATES BOTTOM BARS

DOORS, WINDOWS & VENT. SCHEDULE.

No.	ITEM	L	B	H	SILL
D		1.20		2.10	
D2		1.05		2.10	
D3		0.75		2.10	
W		1.50		1.20	0.90
W1		1.20		1.20	0.90
V		0.60		0.45	

RI	18-03-2022	SUBMISSION DRAWING
RO		FOR APPROVAL
rev.no.	date	revision

CLIENT-
 MAXMILLIAN KULLU
 S/O- LATE FRANCIS KULLU
 KHATA NO- 34, PLOT NO-3301
 THANA NO- 80, MAUJA-GOTRA.

PROJECT TITLE
 PROPOSED G+1 RESIDENTIAL BUILDING
 FOR MAXMILLIAN KULLU
 SAMTOLI, SIMDEGA,
 JHARKHAND.

DRAWING TITLE : DWG NO.
 SUBMISSION DRAWING SD-09

SCALE N.T.S
 DATE 18-10-2022
 DEALT S.T.A

PROJECT NO.
 CONSULTANT:

 ARCHITECT | ENGINEERS | PROJECT CONSULTANTS
 Office : 1st FLOOR, OPP. GULZAR GALL MAIN ROAD SIMDEGA,
 NEAR ANAND BHAVAN-832225.
 TELEPHONE : +91-7070311710
 E-mail : bhavraj19@gmail.com, rajgurus@gmail.com.

DRAWING RELEASED FOR:
 APPROVAL SUBMISSION
 ADVANCE COPY CONSTRUCTION
 ENGINEER'S SIGN OWNER'S SIGN

