



GENERAL NOTES - NOTES & REFERENCES

1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT.
2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
3. DO NOT SCALE ANY DIMENSION.
4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRS.
5. FOR RCC WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm² AND CONFORMING TO I.S. 1786 - 1979.
7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:-
 - (a) FOUNDATION : 60 MM
 - (b) COLUMNS : 40 MM
 - (c) BEAMS (top & bottom) : 25 MM side cover 25mm
 - (d) SLABS : 20 MM
 - (e) CHAJJAS/CANOPY : 20 MM
 - (f) R.C.C. WALL : 25 MM
8. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
9. ----- INDICATES TOP BARS
----- INDICATES BOTTOM BARS

DOORS, WINDOWS & VENT. SCHEDULE.

No.	ITEM	L	B	H	SILL
D	1.20		2.10		
D2	1.05		2.10		
D3	0.75		2.10		
W	1.50	1.20	0.90		
W1	1.20	1.20	0.90		
V	0.60		0.45		

RI	18-03-2023	SUBMISSION DRAWING
RO		FOR APPROVAL
rev.no.	date	revision

CLIENT-CLAUDIA KUJUR
S/O LATE JIWAN KISHORE TIRKEY,
KHATA NO.-38, PLOT NO.-335, MALUZA-SIMDEGA, THANA NO.-116, BLOCK-SIMDEGA, DIST-SIMDEGA.

PROJECT TITLE
PROPOSED RESIDENTIAL G+1 PROJECT FOR CLAUDIA KUJUR, DUMARTOLI, SIMDEGA.

DRAWING TITLE :	DWG NO.
SUBMISSION DRAWING	SD-45

SCALE	N.T.S
DATE	18-03-2023
DEALT	S.T.A

CONSULTANT:

ARCHITECT | ENGINEERS | PROJECT CONSULTANTS
Office : 1st Floor, Opp. Gulzar Gali, Main Road Simdega,
Near Anand Bhawan-83223.
TELEPHONE : +91-707031170
E-mail : bhavraj19@gmail.com, rajbhansoni@gmail.com

DRAWING RELEASED FOR:	
<input type="checkbox"/> APPROVAL	<input type="checkbox"/> SUBMISSION
<input type="checkbox"/> ADVANCE COPY	<input type="checkbox"/> CONSTRUCTION
ENGINEER'S SIGN	OWNER'S SIGN