



GENERAL NOTES - NOTES & REFERENCES

1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT
2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
3. DO NOT SCALE ANY DIMENSION.
4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRGS.
5. FOR RCC WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm² AND CONFORMING TO I.S. 1786 - 1979.
7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS: -
 - (a) FOUNDATION : 60 MM
 - (b) COLUMNS : 40 MM
 - (c) BEAMS (top & bottom) : 25 MM side cover 25mm
 - (d) SLABS : 20 MM
 - (e) CHAJIAS/CANOPY : 20 MM
 - (f) R.C.C. WALL : 25 MM
8. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
9. ----- INDICATES TOP BARS
----- INDICATES BOTTOM BARS

DOORS, WINDOWS & VENT. SCHEDULE.

No.	ITEM	L	B	H	SILL
1.	D	1.20		2.10	
2.	D2	1.05		2.10	
3.	D3	0.75		2.10	
4.	W	1.50	1.20	0.90	
5.	W1	1.20	1.20	0.90	
6.	V	0.60		0.45	

R1	18-03-2022	SUBMISSION DRAWING
R0		FOR APPROVAL
rev.no.	date	revision

CLIENT:-
FATIMA SORENG
W/O- SHRI MANUEL DUNGUNG
KHATA NO.- 17,PLOT NO.-1316
THANA NO.- 116, MAUJA-SIMDEGA.

PROJECT TITLE
PROPOSED GROUND FLOOR RESIDENTIAL
+COMMERCIAL BUILDING
FOR FATIMA SORENG, DUMARTOLI
,SIMDEGA,JHARKHAND.

DRAWING TITLE :
BAR BENDING
SCHEDULE FOR
PLINTH BEAM

DWG NO.
SD-03

SCALE : N.T.S
DATE : 18-07-2022
DEALT : S.T.A

PROJECT NO.
CONSULTANT:-

ARCHITECT | ENGINEERS | PROJECT CONSULTANTS
Office : 1st FLOOR, OPP. GULZAR GALL MANN ROAD SIMDEGA,
NEAR ANAND BRAHMI-85222
TELEPHONE : +91-707031170
E-mail : theengineerj@gmail.com , rajgaurad@gmail.com

DRAWING RELEASED FOR:
 APPROVAL SUBMISSION
 ADVANCE COPY CONSTRUCTION

ENGINEER'S SIGN OWNER'S SIGN