



GENERAL NOTES - NOTES & REFERENCES

1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT
2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
3. DO NOT SCALE ANY DIMENSION.
4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRGS.
5. FOR RCC. WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD. STRENGTH NOT LESS THAN 500 N/mm<sup>2</sup> AND CONFORMING TO I.S. 1786 - 1979.
7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:-
  - (a) FOUNDATION 60 MM surfaces in contact with earth
  - (b) COLUMNS : 40 MM
  - (c) BEAMS (top & bottom) 25 MM side cover 25mm
  - (d) SLABS : 20 MM
  - (e) CHAJJAS/CANOPY : 20 MM
  - (f) R.C.C. WALL : 25 MM
8. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
9. ----- INDICATES TOP BARS  
----- INDICATES BOTTOM BARS

DOORS, WINDOWS & VENT. SCHEDULE.

No.	ITEM	L	B	H	SILL
D		1.20		2.10	
D2		1.05		2.10	
D3		0.75		2.10	
W		1.50		1.20	0.90
W1		1.20		1.20	0.90
V		0.60		0.45	

R1	18-03-2022	SUBMISSION DRAWING
R0		FOR APPROVAL
rev.no.	date	revision

CLIENT:-  
SMT. URSHULA TETE  
KHATA NO.- 41, PLOT NO.-3482  
THANA NO.- 80, MAUJA-GOTRA.

PROJECT TITLE  
PROPOSED GROUND +1  
RESIDENTIAL BUILDING  
FOR SMT. URSHULA TETE,  
DIPTI TOLI, SIMDEGA, JHARKHAND.

DRAWING TITLE :	DWG NO.
SUBMISSION DWG.	SD-03

SCALE	N.T.S
DATE	18-09-2022
DEALT	S.T.A

PROJECT NO.  
CONSULTANT:-  
  
ARCHITECT ! ENGINEERS ! PROJECT CONSULTANTS  
Office : 1st FLOOR, OPP. GULZAR GALLI, MAIN ROAD SIMDEGA.  
NEAR ANAND BHAVAN-856223.  
TELEPHONE : +91-7070181170  
E-mail : thecreationjhb@gmail.com. rajibsanu@gmail.com.

DRAWING RELEASED FOR:  
 APPROVAL  SUBMISSION  
 ADVANCE COPY  CONSTRUCTION

ENGINEER'S SIGN \_\_\_\_\_ OWNER'S SIGN \_\_\_\_\_