




FRONT ELEVATION




SIDE ELEVATION




SECTION AT X-X






SECTION AT Y-Y




SECTION



FOOTING PLAN




TERRACE FLOOR




SECTION '3-3'

Scale - (1:50)




PLAN OF RAIN WATER RECHARGE PIT

Scale - (1:50)



KEY PLAN



GENERAL NOTES - NOTES & REFERENCES

1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT
2. ALL DIMENSIONS ARE IN MM & LEVELS IN METERS
3. DO NOT SCALE ANY DIMENSION.
4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRGS.
5. FOR R.C.C. WORK USE MIX DES CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DRG.
6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm² AND CONFORMING TO I.S. 1786 - 1979.
7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS:-
 - (a) FOUNDATION 60 MM surface in contact with earth
 - (b) COLUMNS : 40 MM
 - (c) BEAMS (top & bottom) 25 MM side cover 25mm
 - (d) SLABS : 20 MM
 - (e) CHAJAS/CANOPY : 20 MM
 - (f) R.C.C. WALL : 25 MM
8. NOMINAL COVER IS THE DEPTH OF CONCRETE COVER TO ALL STEEL REINFORCEMENT INCLUDING LINKS/ TIES/ STIRRUPS.
9. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
10. - - - - - INDICATES TOP BARS
- - - - - INDICATES BOTTOM BARS

DOORS, WINDOWS & VENT. SCHEDULE.

No.	ITEM	L	B	H	SILL
D		1.20		2.10	
D2		1.05		2.10	
D3		0.75		2.10	
W		1.50	1.20	0.90	
W1		1.20	1.20	0.90	
V		0.60	0.45		

R1	18-03-2023	SUBMISSION DRAWING
R0		FOR APPROVAL
REV. NO.	DATE	REVISION

CLIENT:-
SMT. MAIKEL JOJO
D/O- LATE PREMSUKH JOJO
KHATA NO. - 44, PLOT NO.-5185
THANA NO. - 80, MAUJA-GOTRA.

PROJECT TITLE
PROPOSED GROUND +1
RESIDENTIAL BUILDING
FOR SMT. MAIKEL JOJO,
DIPITOLI, SIMDEGA, JHARKHAND.

DRAWING TITLE : DWG NO.
SUBMISSION DWG. SD-03

SCALE N.T.S
DATE 18-03-2023
DEALT S.T.A

PROJECT NO.

CONSULTANT:-

ARCHITECT & ENGINEERS I PROJECT CONSULTANTS
OFFICE : 1st FLOOR, OPP. GREEN GATE, MAIN ROAD, BHADRA,
NEAR ANAND BHAVAN-832225.
TELEPHONE : +91-9970111170
E-mail : bhadrachand@rediffmail.com, jpr@bhadrachand.com

DRAWING RELEASED FOR:
 APPROVAL SUBMISSION
 ADVANCE COPY CONSTRUCTION
ENGINEER'S SIGN OWNER'S SIGN