

GENERAL NOTES -
NOTES & REFERENCES

1. READ THIS DRAWING IN CONJUNCTION WITH RELEVANT ARCHITECTURAL DRAWINGS. ANY DISCREPANCY IF FOUND SHALL BE BROUGHT TO THE NOTICE OF CONSULTANT
2. ALL DIMENSIONS ARE IN MM & LEVELS IN MILLIMETERS.
3. DO NOT SCALE ANY DIMENSION.
4. CONFIRM LOCATION OF WALLS WITH RELEVANT ARCH. DRGS.
5. FOR RCC WORK USE MIX M25 CONFORMING TO IS 456 : 2000 OR AS SPECIFIED IN RESPECTIVE DWG.
6. THE REINFORCEMENT SHALL BE COLD TWISTED DEFORMED BARS (C.T.D) OR T.M.T. BARS HAVING YIELD STRENGTH NOT LESS THAN 500 N/mm² AND CONFORMING TO I.S. 1786 - 1979.
7. THE CLEAR COVER TO THE REINFORCEMENT SHALL BE AS FOLLOWS: -
 - (a) FOUNDATION: 60 MM surfaces in contact with earth
 - (b) COLUMNS: 40 MM
 - (c) BEAMS (top & bottom): 25 MM side cover 25mm
 - (d) SLABS: 20 MM
 - (e) CHAJJAS/CANOPY: 20 MM
 - (f) R.C.C. WALL: 25 MM
8. NOMINAL COVER IS THE DEPTH OF CONCRETE COVER TO ALL STEEL REINFORCEMENT INCLUDING LINKS/ TIES/ STIRRUPS.
9. NOT MORE THAN 50% OF THE BARS SHALL BE LAPPED AT ANY SECTION. LAPS CLOSE TO THE MID SPAN IN BOTTOM BARS & CLOSE TO SUPPORTS IN TOP BARS SHALL BE AVOIDED.
9. - - - - - INDICATES TOP BARS
- - - - - INDICATES BOTTOM BARS

DOORS, WINDOWS & VENT. SCHEDULE.

No.	ITEM	L	B	H	SILL
	D	1.20		2.10	
	D2	1.05		2.10	
	D3	0.75		2.10	
	W	1.50		1.20	0.90
	W1	1.20		1.20	0.90
	V	0.60		0.45	

R1	01-03-2023	SUBMISSION DRAWING
R0		FOR APPROVAL

rev.no. date revision

MERKHA PUMP MINZ
W/O NIRANTAR MINZ.
KHATA NO.- ____, PLOT NO.- ____,
THANA NO.- ____, MAUJA- ____,
VILLEGE-SAMTOLI.

PROJECT TITLE
PROPOSED GROUND+1 RESIDENTIAL
BUILDING FOR MERKHA PUMP MINZ
SAMTOLI, SIMDEGA,
JHARKHAND.

DRAWING TITLE :	DWG NO.
SUBMISSION DRAWING	SD-09

SCALE	N.T.S
DATE	01-03-2023
DEALT	S.T.A

PROJECT NO. _____

CONSULTANT-


ARCHITECT ! ENGINEERS ! PROJECT CONSULTANTS
Office : 1st FLOOR, OPP. GULZAR GALI, MAIN ROAD SIMDEGA,
NEAR ANAND BHAVAN-835223.
TELEPHONE : +91-7070131170
E-mail : thecreation@gmail.com, .rgbsou@gmail.com.

DRAWING RELEASED FOR:
 APPROVAL SUBMISSION
 ADVANCE COPY CONSTRUCTION

ENGINEER'S SIGN OWNER'S SIGN

