

GENERAL SPECIFICATIONS:



FOUNDATION: P.F.C.C. work should be as per design. R.C.C. columns, rafters, Columns to be based on per design work should be as per design.

SUPERSTRUCTURE: R.C.C. columns, beams & roof slab as per design. Roof to be finished with 100mm concrete. All reinforcement should be provided in 100mm concrete. Column spacing for columns shall be (100) in for (100) for 270mm wall. Columns must be done for proper period.

INTERNAL FINISHES: Plaster to rooms, walls/ceilings. Tiles, flooring to kitchen & toilet.

DOORS & WINDOWS: As per schedule. Sliding door window to be in kitchen. Sliding door window to be in living room. Sliding door window to be in bedroom. Sliding door window to be in bedroom.

ELECTRIFICATION: All electrical work to be done as per design. All electrical work to be done as per design. All electrical work to be done as per design.



SCALE : 1:100 AS MENTIONED IN DRAWINGS

SIGNATURE OF OWNER

SIGNATURE OF REGISTERED CONSULTANT NAC SERAIKELLA

SIGNATURE OF ENGINEER NAC SERAIKELLA

SIGNATURE OF EXECUTIVE OFFICER NAC SERAIKELLA

SCHEDULE OF DOORS & WINDOWS :-

SL. NO.	MRD.	SIZE	DESCRIPTION
1	D	1.83M X 2.13M	Grid door
2	D1	1.07M X 2.13M	Painted single shutter door
3	D2	0.91M X 2.13M	Painted single shutter door
4	D3	0.91M X 2.13M	Painted single shutter door
5	W	1.22M X 1.22M	Glazed steel framed window 4 sheet
6	W1	1.22M X 1.22M	Glazed steel framed window 3 sheet
7	V	0.91M X 0.91M	4wp hung steel ventilator

