


MOUZA PLAN
NOT TO SCALE


SERAIKELLA MUNICIPALITY
WARD NO - 04 (OLD 01)
THANA-SERAIKELLA(301)
DIST-SERAIKELLA-KHARSAWAN






N.B :- NEW WORK SITE SHOWN IN [shaded box]

LOCATION PLAN
NOT TO SCALE

SERAIKELLA MUNICIPALITY
WARD NO - 04 (OLD 01)
THANA-SERAIKELLA(301)
DIST-SERAIKELLA-KHARSAWAN



N.B:-NEW WORK SITE SHOWN IN [shaded box]










CALCULATION FOR WATER TANK
CONSIDERING FOR 20 PERSONS = 20 X 135 = 2700 LTS.
[APROVIDED] = 5,000 LTS.

CALCULATION FOR SEPTIC TANK
CONSIDERING FOR 20 PERSONS = 20 X 0.083 = 1.66 CUM
[APROVIDED] = 2.78 X 1.06 X 1.5 = 4.4202 CUM

SCHEDULE OF DOORS & WINDOWS :-

SL.NO.	MKD.	SIZE	DESCRIPTION
1.	D	1.22M X 2.13M	Pannelled single shutter door.
2.	D1	0.91MX2.13M	Pannelled single shutter door.
3.	D2	0.76MX2.13M	Pannelled single shutter door.
4.	W	1.52MX1.22M	Glazed steel framed window 3. shutt.
5.	W1	1.22MX1.22M	Glazed steel framed window 3. shutt.
6.	V	0.61MX0.61M	Top hung steel ventilator.



SCALE : 1:100

AS MENTIONED IN DRAWINGS

SIGNATURE OF OWNER

SIGNATURE OF REGISTERED CONSULTANT SNP SERAIKELLA

SIGNATURE OF ENGINEER SNP SERAIKELLA

SIGNATURE OF EXECUTIVE OFFICER SNP SERAIKELLA