

NOTARY DHANBAD



AFFIDAVIT

I, SABA FARHEEN w/o MD. SHARIEF Hindu, by occupation — Business, resident of PANDERPALA, DHANBAD do hereby solemnly affirm on oath and declare as under:-

- 1. That, we have purchased a plot having MOUZA- PANDERPALA NO. 04 , KHATA NO OLD 48, NEW 601 PLOT NO. OLD 1660, NEW 1178, in the dist. Of Dhanbad.
- That, our building plan is sanctioned by DMC Dhanbad having file no.
 DMC/BP/0140/W17/2023 with a condition that I will have to leave 1.8 SQ. Meter of land from front side for widening of road.
- That, we am leaving 1.8 SQ. meter of land from front side for DHANBAD MUNICIPAL CORPORATION for widening of road whenever it is necessary.

(08) 0 6 JUL 2023

				whichever is lower 49.1.6 Provision of one stretcher lift every building more than 6 storey height 49.1.7 Every lift should have Provision of automatic rescue device, door sensor and automatic fire proof door. 49.1.8 Provision of number of Lift in high rise affordable housing blocks shall be at least 50% of number of lift required for the block as per sub-clause 49.1, subject to the condition that the total mandatory capacity of lifts carrying passengers shall not be less than the total capacity as per sub-clause 49.1.	49.1.5	must be stretcher lift. Number of Lift in high rise affordable housing blocks shall be at least 50% of number of lift required for the block as per subclause 49.1.3 provided it shall be as per NBC, 2016. Every lift should have Provision of automatic rescue device, door sensor and automatic fire proof door.
3	VI	61	61.12.4	Addendum:- Provided above conditions shall not be applicable in Development which are being developed by private/public se purpose without sale/lease.	case of C ector unit	Group Housing Projects/ Township ts for their employees' residential

By the order of the Governor of Jharkhand

(Ajoy Kumao Singh) Secretary to Government

Urban Development & Housing Department

Memo No.-7 / न0वि० / अधि० / स0सो० / 102 / 2013.... 2.2.६ 9

Ranchi, Dated .06-6-19

Copy to: Superintendent, Govt. Press, Doranda, Ranchi for information and necessary action. It is requested to publish this notification in the extra ordinary Gazette and provide 100 copies of the same to the undersigned/Nodal Officer, E-Gazette, Urban Development & Housing Department, Government of Jharkhand for information and necessary action.

Secretary to Government

Urban Development & Housing Department

Memo No.-7 / न0वि० / अधि० / स0सो० / 102 / 2013... 2269

Ranchi, Dated 6-6-19

Copy to :- P.S to Hon'ble Departmental Minister/OSD to Chief Secretary, Jharkhand/All Additional Chief Secretary/Principal Secretary/Secretary, Govt. of Jharkhand/All Divisional Commissioners, Jharkhand/Director, SUDA/ Director DMA/Town Planner, UD&HD/VC, RRDA, Ranchi/All Deputy Commissioners, Jharkhand/Municipal Commissioners, All Municipal Corporations/Managing Directors all Industrial Area Development Authorities/MD, MADA, Dhanbad/Special Officer, Executive Officer, All Urban Local Bodies, Jharkhand/ M/s. Softech Engineers Ltd. for information and necessary action.

Secretary to Government

Urban Development & Housing Department

ann)

2269




Government of Jharkhand <u>Urban Development & Housing Department</u>

NOTIFICATION

No.-7/न0वि0/अधि/स0सो0/102/2013.........., In exercise of the powers conferred under clause-89 of the Jharkhand Building Bye-laws, 2016, as amended, the Government of Jharkhand do hereby notify the Jharkhand Building (Vth Amendment) Bye-laws, 2019.

In case the plot is affected by a road widening or in the way to construct a new road parks'any public utility and if the owner of the plot voluntarily surrenders the affected portion of his land to the Authority without any claim of compensation or through a TDR (Transferable Development Right) scheme implemented by the Government the owner shall be entitled to build on the remaining plot, an area calculated on the treatment of the Fark as applied to the total area prior to such surrender. Provided that the surrender of the land shall be affected by a deed of transfer to be executed by the owner in favour of the Authority for widening of road. The plot owner can use this T.D.R for any other new building project within the jurisdiction of the Competent Authority. For Residential 49.1.1 For no. of flats more than 8 and 49.1.1 For no. of flats more than 8 and 49.1.1 For no. of flats more than 8 and 49.1.1 For no. of flats more than 8 and 49.1.1 For no. of flats more than 8 and 49.1.1 For no. of flats more than 8 and advoice. 49.1.2 If you Grad and above. 49.1.3 If part thereof is 50% or more than 8 and advoiced to residential buildings up you Grad and above. 49.1.3 If part thereof is 50% or more than 8 and advoiced to residential buildings up you Grad and above. 49.1.3 If part thereof is 50% or more than 8 and advoiced to residential buildings up you Grad and above. 49.1.3 If part thereof is 50% or more than 8 and advoiced to residential buildings up you Grad and above. 49.1.4 If the number of flats in a multistoried residential buildings is more than 12, the provision of itil will be compulsory for Grad and bove. 49.1.2 The Number and capacity of 6 if the purpose of calculation to 10 in 6 if the flat of the capacity of 6 in the flat of the capacity of 6 in the flat of the capacity of 6 in the flat of the capacity of the National Building is less than 12 meters and above. 49.1.3 There shall be provided as specified the National Building is less than 12 meters and above. 49.1.4 (1) The number of calcula	SI.	Chapter	Clause	Sub- clause		Provision		mended Provision
For Residential 49.1.1 For no. of flats more than 8 and up to 18, one lift of the capacity of 6 passengers will be mandatory for G+4 and above. 49.1.2 For every 16 flats and part thereof one lift of the capacity of 6 passengers shall be mandatorily provided for residential buildings up to G+4 or of the height of 12 meters and above. 49.1.3 If part thereof is 50% or more than and additional separate lift shall have to be mandatorily provided. However in case, where part thereof is less than 50%, then the requirement can be met by increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. (Apartment and Ground Housing) 49.1.1 Lift shall be mandatory of G+4 and above. 49.1.2 The Number and capacity of lift the National Building Core 2016. 49.1.3 There shall be provided as specified the National Building Core 2016. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift which may be distributed increasing the capacity of the Provided that to no. of lifts in the building shall be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. (Apartment and Ground Housing)	1	IV		clause	In case the plot is affected by a road widening or in the way to construct a new road/ parks/any public utility and if the owner of the plot voluntarily surrenders the affected portion of his land to the Authority without any claim of compensation or through a. TDR (Transferable Development Right) scheme implemented by the Government the owner shall be entitled to build on the remaining plot, an area calculated on the basis of the FAR as applied to the total area prior to such surrender. Provided that the surrender of the land shall be affected by a deed of transfer to be executed by the owner in favour of the Authority for widening of road. The plot owner can use this T.D.R for any other new building project within the jurisdiction of		In case the plot is affected by a road widening or in the way to construct a new road parks/any public utility and if the owner of the plot voluntarily surrenders the affected portion of his land to the Authority without any claim of compensation or through a TDR (Transferable Development Right) scheme implemented by the Government the owner shall be entitled to build on the remaining plot, an area calculated on the basis of the FAR as applied to the total area prior to such surrender. Provided that the surrender of the land shall be affected by a deed of transfer to be executed by the owner in favour of the Authority for widening of road. The plot owner can use this T.D.R for any other new building project within the jurisdiction of the Competen Authority. Provided further that, in case of individual house up to maximum height of G+1 (where TDR is not availed), the owner may execute an affidavit from competent legal.	
49.1.1 For no. of flats more than 8 and up to 18, one lift of the capacity of 6 passengers will be mandatory for G+4 and above. 49.1.2 For every 16 flats and part thereof one lift of the capacity of 6 passengers shall be mandatorily provided for residential buildings up to G+4 or of the height of 12 meters and above. 49.1.3 If part thereof is 50% or more than and additional separate lift shall have to be mandatorily provided. However in case, where part thereof is less than 50%, then the requirement can be met by increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12 meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made					5 D			
49.1.2 For every 16 flats and part thereof one lift of the capacity of 6 passengers shall be mandatorily provided for residential buildings up to G+4 or of the height of 12 meters and above. 49.1.3 If part thereof is 50% or more than and additional separate lift shall have to be mandatorily provided. However in case, where part thereof is less than 50%, then the requirement can be met by increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made The Number and capacity of shall be provided as specified the National Building Co. 2016. 49.1.2 The Number and capacity of shall be provided as specified the National Building Co. 2016. 49.1.3 There shall be provision of calculation total no. of loads of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich may be distributed increasing the capacity of the lawhich m			.[1843]- _{2.}	1 1 4 1 5 5		up to 18, one lift of the capacity of 6 passengers will be mandatory	Housing)	Lift shall be mandatorily
passengers shall be mandatorily provided for residential buildings up to G+4 or of the height of 12 meters and above. 49.1.3 If part thereof is 50% or more than and additional separate lift shall have to be mandatorily provided. However in case, where part thereof is less than 50%, then the requirement can be met by increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made			pulsq	ille of	49.1.2	For every 16 flats and part thereof	16, 21,4	m. height. Provided at least one lift of the minimum capacity of 6
meters and above. 49.1.3 If part thereof is 50% or more than and additional separate lift shall have to be mandatorily provided. However in case, where part thereof is less than 50%, then the requirement can be met by increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made shall be provided as specified the National Building Coc 2016. 49.1.3 There shall be provision of conduction of dwelling units or part thereof the purpose of calculation total no. of loads of the load increasing the capacity of				da Çir	32 1/3	passengers shall be mandatorily provided for residential buildings	49.1.2	persons shall be mandatory for
than and additional separate lift shall have to be mandatorily provided. However in case, where part thereof is less than 50%, then the requirement can be met by increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made than and additional separate lift shall be provision of capacity of the surface of passengers for dwelling units or part thereof the purpose of calculation total no. of loads of the lawhich may be distributed increasing the capacity of the lawhich may be distributed in	12.0				49 1.3	meters and above.		shall be provided as specified in the National Building Code,
provided. However in case, where part thereof is less than 50%, then the requirement can be met by increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made Valid Provided passenger for dwelling units or part thereof the purpose of calculation total no. of loads of the lift which may be distributed increasing the capacity of the lift no. of lifts in the building should be made increasing the capacity of the lift no. of lifts in the building should be made increasing the capacity of the lift no. of lifts in the building should be made increasing the capacity of the lift no. of lifts in the building should be made increasing the capacity of the lift no. of lifts in the building should no. of lifts in the building should no. of lifts in the building should no. of lifts shall be as mentioned above.	=	- 4				than and additional separate lift	49.1.3	f-4
increasing the passenger capacity of lift. 49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made	2	IV	49	49.1		provided. However in case, where part thereof is less than 50%, then		lift per 6 passengers for 16 dwelling units or part thereof for
49.1.4 If the number of flats in a multistoried residential building is more than 12, the provision of lift will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made increasing the capacity of the building is no. of lifts in the building should be made increasing the capacity of the building is no. of lifts in the building should be less than half as calculated above. 49.1.4 Notwithstanding anyth contained in these bye laws case of building with 21 m. more in height, at least two						increasing the passenger capacity		total no. of loads of the lift,
will be compulsory for G+3, even if the height of the building is less than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.5 Provision of lift should be made					49.1.4	If the number of flats in a multistoried residential building is		increasing the capacity of the lift. Provided that total
than 12meters. The capacity and no. of lifts shall be as mentioned above. 49.1.4 Notwithstanding anyth contained in these bye laws case of building with 21 m. 49.1.5 Provision of lift should be made			e e			will be compulsory for G+3, even		not be less than half as calculated above.
						than 12meters. The capacity and no. of lifts shall be as mentioned above.	49.1.4	contained in these bye laws in case of building with 21 m. or
for residential buildings of more shall be provided in which			-general	L-MARKET AND	49.1.5			more in height, at least two lifts shall be provided in which one



Saba Paskeen