



JHARKHAND STATE POLLUTION CONTROL BOARD
REGIONAL OFFICE-CUM-LABORATORY, MB/15 NEW HOUSING COLONY
ADITYAPUR, JAMSHEDPUR.

Web Site- jspcb.org/ Phone- 0657-2383241/ Fax- 0657-2383905

Ref. No: -...174...

Dated- 20-02-2023

From,

J.P. Singh
Regional Officer.

To,

M/s Eastern Technocrats Pvt. Ltd,
Plot No.-E-37, Electronic Manufacturing Cluster
Hatiyadih, Adityapur,
Dist- Saraikela Kharsawan.

Sub: - Regarding Applicability of CTE/CTO.

Sir,

With reference to the subject noted above and your letter dt- 18-01-2023, the undersigned has gone through the manufacturing process of your plant. As informed, your plant will be engaged in assembly of Electrical and Electronic item Assembling and electric lamp bulb and CFL which will be dry process. As per classification of Industry, this type of activity falls under Sl. No.-13 of white category which is exempted from obtaining CTE/CTO from the Board. This exemption is applicable only as far as the process is dry. However, required certificates from other Departments shall be obtained.

This is being issued on the request made by you.

Yours faithfully,

J.P. Singh
20.02.2023
(J.P. Singh)
Regional officer.