



**JHARKHAND STATE POLLUTION CONTROL BOARD**  
REGIONAL OFFICE-CUM-LABORATORY, MB/15 NEW HOUSING COLONY  
ADITYAPUR, JAMSHEDPUR.

Web Site- [jspcb.org](http://jspcb.org)/ Phone- 0657-2383241/ Fax- 0657-2383905

Ref. No: -.....713.....

Dated- 29.10.2022

From,

J.P. Singh  
Regional Officer.

To,

The Partner  
M/s Synergy Enterprises,  
E-50-A, EMC Plots- Near 7<sup>th</sup> Phase,  
Adityapur Industrial Area, Saraikela Kharsawan.

**Sub: - Regarding Applicability of CTE/CTO.**

Sir,

With reference to the subject noted above and your letter dt- 17-10-2022, the undersigned has gone through the manufacturing process of your plant. As informed, your plant will be engaged in assembly of Electrical Panels which will be dry process. As per classification of Industry, this type of activity falls under Sl. No.-13 of white category which is exempted from obtaining CTE/CTO from the Board. This exemption is applicable only as far as the process is dry. However, required certificates from other Departments shall be obtained.

This is being issued on the request made by you.

Yours faithfully,

JPSS  
29.10.2022  
(J.P. Singh)  
Regional officer.