


26.02.2022



- GENERAL NOTES:**
- THIS DRAWING IS AN EXCLUSIVE PROPERTY OF THE ARCHITECT. USE OF THIS DRAWING FOR ANY PURPOSE WITHOUT CONSENT IS STRICTLY PROHIBITED.
 - ARCHITECT SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY DEVIATION IN ANY RESPECT INCLUDING CHANGE IN DESIGN, VISUAL INTENT, SPECIFICATION OR CONSTRUCTION METHODOLOGY ETC. MADE WITHOUT SPECIFIC WRITTEN APPROVAL FROM THE ARCHITECT.
 - DO NOT SCALE THE DRAWING. READ ONLY.
 - ALL DIMENSIONS ARE IN FEET-INCHES [METERS] AND LEVELS & COORDINATES ARE IN FEET-INCHES UNLESS SPECIFIED OTHERWISE.
 - ENSURE COMPLIANCE WITH ALL LOCAL BYE-LAWS, FIRE CODES AS WELL AS NATIONAL BUILDING CODE.
 - ALL CHAJJA SHALL HAVE DRIP MOULD & GROOVES UNDERNEATH ALL ALONG THE PERIPHERIES.
 - 50MM DAMP PROOF COURSE (1:2:4) TO BE PROVIDED AT PLINTH LEVEL.
 - 900MM PLINTH PROTECTION TO BE PROVIDED AROUND THE PERIPHERY OF BUILDING.
 - CONTRACTOR MUST CHECK DIMENSIONS AT SITE AND IN CASE OF ANY DISCREPANCIES, INFORM THE ARCHITECT IMMEDIATELY.
 - THE CONTRACTOR SHALL CHECK THE ACTUAL OPENING SIZES AT SITE AND THE NUMBERS OF DOOR & WINDOW ETC. IN THE DRAWING BEFORE FABRICATING/PROCURING THE SAME.
 - HANDRAIL SHALL BE STAINLESS STEEL S304 GRADE (UNO).
 - ANTI-TERMITE TREATMENT SHALL BE PROVIDED UNDER FLOOR AND JUNCTION OF WALLS AND FLOOR.
 - PLATFORM IN KITCHEN & CANTINEEN SHALL BE OF 600MM WIDE AND 900MM ABOVE FINISHED FLOOR LEVEL. PLATFORM SHALL BE OF 18-20MM POLISHED GRANITE.
 - WATER PROOFING SHALL BE LAID AS PER SPECIFICATION.
 - FOR WORKERS TOILET, HEIGHT OF 5 INCHES(125MM) THICK BRICK PARTITION WALL(WC) SHALL BE 2400MM ABOVE FINISHED FLOOR LEVEL.
 - PLEASE REFER TO STRUCTURAL DRAWING FOR STRUCTURAL DIMENSIONS & DETAILS.
 - ALUMINUM PARTITION SHALL BE OF POWDER COATED ALUMINUM WITH FROSTING FILM GLASS - PATTERN AS APPROVED BY THE CLIENT.
 - SEPTIC TANK CALCULATION:**
 TOTAL NO. OF PERSON = ...
 TAKING 10% EXTRA = + =
 STORAGE CAPACITY = 0.085/PERSON =
 FOR GAS, 300MM ADDITIONAL FREE BOARD TO BE LEFT
SIZE OF THE TANK =M XM XM = CU.M.

LEGEND

S.NO.	DETAILS
1	ENTRY/EXIT GATE
2	GUARD ROOM
3	ADMIN/OFFICE
4	LABOUR RESTROOM/CANTINEEN
5	PADDY GODOWN SHED
6	MILLING SECTION SHED
7	BOILER/PARBOILING/DRIER SHED
8	SHED
9	WEIGH BRIDGE & OFFICE
10	FIRE SUMP TANK
11	RAINWATER HARVESTING
12	METER/GENERATOR ROOM
13	ETP
14	PARKING
15	HUSK YARD

STRUCTURAL STABILITY CERTIFICATE
 THIS IS TO CERTIFY THAT SEISMIC LOADS HAVE BEEN TAKEN UNDER CONSIDERATION WHILE DESIGNING THE STRUCTURE OF THE BUILDING.
 THE DESIGN HAS BEEN DONE AS PER: IS 1893 / 1994 & IS 4326 / 1993.

SCALE : NOT TO SCALE

REV. NO.	DATE	REVISIONS	BY	CHECK	APPROVED
1					
2					
3					

DRAWING NO. : PITG/SD/DRD-0001 SHEET - 1 OF 7

DRAWING TITLE :

CONCEPTUAL SITE LAYOUT PLAN

PROJECT :

NEW PROPOSED UNIT FOR M/S PREMIER INDUSTRIES AT PLOT NO. 1, TENSERA INDUSTRIAL AREA, GUMLA, JHARKHAND

ARCHITECT'S SIGNATURE: *AR. NIKHIL JAIN*
 OWNER'S SIGNATURE: _____

AR. NIKHIL JAIN
 JADWARC000102016
 JHARKHAND REGISTERED LITD

MR. SANJAY KUMAR

BOTHA DEVELOPERS & PLANNERS
 Architecture, Master Planning, Interior Designing, Project Management, Developers, Builders

M/S PREMIER INDUSTRIES

APPLICABLE BYE-LAWS

ALLOWABLE GROUND COVERAGE AREA	- 65340.00 SFT. (50%)
MINIMUM FRONT SETBACK	- 12 METER (39'4")
MINIMUM REAR SETBACK	- 9 METER (29'6")
MINIMUM SIDE SETBACK	- 9 METER (29'6")
DISTANCE BETWEEN 2 STRUCTURES/BUILDINGS	- 13.5 METER (44'3")

PLOT AREA (AS PER POSSESSION CERTIFICATE) - 3 ACRES (130680.00 SQ.FT.)
 PLOT AREA (AS PER DRAWING) - 3.1 ACRES (135131.61 SQ.FT.)