



## JHARKHAND STATE POLLUTION CONTROL BOARD

TOWNSHIP ADMINISTRATION BUILDING, HEC COMPLEX, DHURWA, RANCHI 834004  
Telephone: 0651-2400850 (Fax)/ 2400851/2400852/2401847/2400979/2400139

Ref No.: JSPCB/HO/RNC/CTE-11425501/2022/49

Dated : 2022-02-02

### Consent to Establish (CTE) under section 25 /26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981

1. Reference: Application (s) No.- 11425501 / dated : 23/12/2021 of AXLES INDIA LIMITED, Axles India Limited for consent under section 25 /26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981

#### 2. Documents Relied Upon:

(a) The content of Land Allotment Certificate issued by JIADA vide Allotment Order No. LA/AD/SW/00302/2019 dated 11/04/2019 valid for 30 years;

(b) The content of permission of ground water abstraction and fee receipt vide Ref. no. 0212210002707 dated 02.12.2021;

(c) The content of checklist vide Ref No. – 1495 dated 27/10/2021 of Regional Office-cum-Laboratory, JSPC Board, Jamshedpur;

3. The consent is granted under section 25 / 26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 to establish the project in Mauza- MURGAGUTTU, P S -, District-EAST SINGHBUM as follows:

Project	Site-Area		Investment (Rs)/ Year	Product & Capacity	Period of CTE
	Plot Nos.	Area			
Before Expansion	M-1, Murgaghutu Ind. Area, P.O.: Raka, District: East Singhbum	261360 sq. ft.	4417 Lacs	Rear Axle Housings – 9000 nos./Month (Weight approx 1530 ton)	1 year from date of issue

#### (A) Specific Conditions:

1. That, the occupier shall ensure cleaning & wetting of ground regularly to maintain good house keeping.

2. That, the occupier shall ensure that there should not be any spillage of coolant/effluent.
3. That, the occupier shall keep the waste water in close circuit, but shall not use it for recharge to ground water aquifer(s).
4. That, the occupier shall install Fume Extraction System with electric furnace with proper stack height.
5. That, the occupier shall obtain authorization under the Hazardous Wastes (Management, Handling and Transboundary Movement) Rule, 2016;
6. That, the occupier shall make Work area and transport roads concrete/ black top before commissioning of the plant.
7. That, the occupier shall store all raw materials and products under shed and shall as far as practicable do their processing and transfer under full-proof cover.
8. That, the occupier shall establish Effluent Treatment Plant (ETP) and shall collect and treat the effluent in full proof latest system.
9. That, the occupier shall take permission for ground water abstraction from the competent authority.

**(B) General Conditions :**

- (1) That, the occupier shall construct pucca (i) minimum ten feet high boundary wall and (ii) approach road and internal roads and shall keep the premises neat and clean and tidy.
- (2) That, the occupier shall install comprehensive enclosure (s) to cover the places of unloading of raw materials, the equipments of their processing & transferring, the places of loading of products, by products and wastes for prevention of fugitive emission and shall install such automatic inbuilt system(s) that in house dust/ gases collect(s) and undergo (es) cleaning and clean air goes out.
- (3) That, the occupier shall install such automatic inbuilt system(s) that process flue gas(es) / process gas(es) and undergo(es) cleaning and clean air go(es) out through the chimney(s), having height(s) as per Central Pollution Control Board norm.
- (4) That, the occupier shall have D G Set(s) of the standard as laid in the Environment (protection) Rules, 1986 and shall install it (them) within acoustic enclosure (s) and shall keep the height(s) of exhaust pipe(s) as per Central Pollution Control Board norm .
- (5) That, the occupier shall impart treatment as per Central Pollution Control Board text to wastewater and shall keep process effluent in close-circuit and effluent from other sources in conformity with the standard (s).
- (6) That, the occupier shall install Central Ground Water Board/ State Ground Water Directorate approved system of rain water harvesting-cum-ground water recharge.
- (7) That, the occupier shall create new water body (ies) / remove deposit(s) of existing water body(ies) and nearby stream(s) and pond(s) and shall maintain the wholesomeness of water.
- (8) That, the occupier shall grow greenery in the periphery and other available spaces and shall continue enhancing its plant density and biodiversity.

(9) That, this CTE is valid subjected to the validity of mining Lease / Mining Plan / Ecofriendly / Environmental Clearance, if applicable. In case of no renewal of Mining Lease/Mining Plan, this consent shall be treated as revoked automatically.

(10) That, this CTE is issued from the environmental angle only and does not absolve the occupier from other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with these conditions laid down in all other laws for the time being in force, rests with the industry/ unit/ occupier.

(11) That, this CTE shall not in any way, adversely affect or jeopardize the legal proceeding , if any, instituted in the past or that could be , instituted against you by the State Board for violation of the provisions of the Act or the Rules made there under.

(12) That, the occupier shall comply with all applicable provisions of the Water (Prevention & Control of Pollution) Act, 1974; the Water (Prevention & Control of Pollution) Cess Act, 1977; the Air (Prevention & Control of Pollution) Act, 1981; and the Environment (Protection) Act, 1986 and Rules there under.

4. **That, this CTE shall not absolve the occupier from making compliance of other statutory prescribed under any law or direction of courts or any other instrument for the time being in force.**
5. **That, this CTE is being issued on the basis of information/ documents/ certificate submitted by the unit. This CTE will be revoked if any of the information/ documents/ certificates/ undertaking given by the occupier is found false/fictitious/forged in future.**
6. **This order shall be valid subject to compliance of all other legal requirements applicable to the unit.**
7. **The State Board reserves the right to revoke, withdraw or make any reasonable variation / change / alteration in condition of this consent.**

**This is issued with the approval of the competent authority**

**(Y. K. Das)**  
**Member Secretary**

Memo No. : JSPCB/HO/RNC/CTE-  
11425501/2022/49

Dated : 2022-02-02

**Copy to :** M/s AXLES INDIA LIMITED, PLOT NO. M-1, MAUZA- MURGAGHUTTU, Musabani, Dist-East Singhbhum / Director of Industry, Government of Jharkhand, Ranchi/ Chief Inspector of Factories, Ranchi/ Deputy Commissioner, East Singhbhum/ Regional Officer, Regional Office-Cum-Laboratory, Jamshedpur for information & necessary action.

**(Y. K. Das)**  
**Member Secretary**