


NO.	DESCRIPTION	QTY	UNIT	REMARKS
1	...	...	...	...
2	...	...	...	...
3	...	...	...	...
4	...	...	...	...
5	...	...	...	...
6	...	...	...	...
7	...	...	...	...
8	...	...	...	...
9	...	...	...	...
10	...	...	...	...



**SCHEDULE OF DOORS AND WINDOWS**

REMARKS	SIZE	TYPE
D	1050X2100	WOODEN SINGLE LEAF DOOR
D1	975X2100	WOODEN DOUBLE LEAF DOOR
D2	900X2100	WOODEN DOUBLE LEAF DOOR
D3	750X2100	WOODEN DOUBLE LEAF DOOR
W	1800X1200	ALUMINIUM GLAZED WINDOWS.
W1	1500X1200	DO
W2	900X1200	DO
V	600X600	FIXED VENTILATION

**SPECIFICATION**

1. BRICK WORK IN FOUNDATION & PLINTH SHALL BE OF FIRST CLASS BRICK IN CEMENT MORTAR 1:3 & HALF BRICK WILL BE 1:4 CEMENT MORTAR.
2. MASONARY FOUNDATION WITH ISOLATED R.C.C. COLOUMN SHALL BE PROVIDED.
3. ALL R.C.C. WORKS SHALL BE DONE (1:2:4) MIX CONCRETE.
4. SAL WOOD FRAME & PAISAL WOOD SHUTTERS SHALL BE USED FOR DOOR.
5. M.S. GLAZED WINDOW AND VENTILATORS WITH GUARD BARS SHALL BE USED.
6. I.P.S. FLOOR SHALL BE USED OVER R.C.C. SLAB / P.C.C.
7. ALL MASONARY SURFACES SHALL BE PLASTERED WITH CEMENT MORTAR 1:3 R.C.C. WITH CEMENT MORTAR 1:4.
8. ALL STEEL AND WOOD WORK SHALL BE PAINTED WITH SYNTHETIC PAINT.
9. ALL SANITARY AND ELECTRICAL FITTINGS SHALL BE OF STANDERD AND COMMERRCIAL QUALITY.

**STRUCTURAL STABILITY CERTIFICATE**

THIS IS TO CERTIFY THAT SEISMIC LOADS HAVE BEEN TAKEN UNDER CONSIDERATION WHILE DESIGNING THE STRUCTURE OF THIS BUILDING. THE DESIGN HAS BEEN DONE AS PER IS 1893/1894 & I.S 4326/1993.

**Client**

**PROPOSED RESORT COMPLEX FOR  
DR. OM PRAKASH MAHANSARIA; S/O - MALIRAM  
MAHANSARIA; C/O - MERAKI IN WOODS;  
ON R.S. PLOT NO - 1446; KHATA NO - 36;  
VILLAGE - LEPSAR; THANA-ANGARA;  
THANA NO-83, DIST - RANCHI, (JHARKHAND)**

NOTE: ALL DIMENSION IN MILLIMETER UNLESS OTHERWISE SPECIFIED.

DESIGNED & CHECKED BY: \_\_\_\_\_ Scale: 1:100 Sheet: \_\_\_\_\_  
DRAWN BY: \_\_\_\_\_ Date: 12 of 12

Dr. Name: \_\_\_\_\_ NORTH

ISSUE ONLY FOR Submission / construction.

Client

Architect

