


TYP. DETAIL OF STAIR


(For levels and no. of steps refer Architectural Drawing)

Ram Pratap Singh
Ar. Ram Pratap Singh
 B.Arch. M.CO.A
 COA - CA/09/46576
 MADR/MA/ARC/0024/2019

0.23m X 0.31m R.C.C. PLINTH BEAM
(M20)



FOUNDATION DETAILS OF WALL



FOUNDATION DETAILS OF COLUMN

- 0.6096 THK. P.C.C. (1:3:6)
- 0.3048 THK. B.F.S.
- 0.6096 THK. SAND FILLING


Ran Pratap Singh

Ar. Ran Pratap Singh
B.Arch. M.CO.A
COA :- CA09186578
M.C.A. :- M.DA/ARC/002412019


SLAB SCHEDULE (CONC. GRADE M 20)

THICKNESS OF SLAB = 4.5 " (EXCEPT MENTIONED OTHERWISE)

S.NO.	SLAB MARKED	THK.	AT SMALLER SPAN alternate cranked	AT LONGER SPAN at support
1.	S1	4.5"	08 mm. Tor 6" c/c alternate cranked at support	08 mm. Tor 6" c/c alternate cranked at support



REINFORCEMENT DETAILS OF SLAB



SECTION OF SLAB AT A-A'

Rambhatia's
Ar. Ram Pratap Singh
 B.Arch. M.CO.A
 COA :- CAJ09/46578
 MADA : MADA/ARC/00242019