



GENERAL SPECIFICATION :-
 FOUNDATION : PLAIN CEMENT CONCRETE AS PER DESIGN.
 : R.C.C. COLUMN FOOTING & COLUMN AS PER
 : STRUCTURAL DESIGN.
 SUPER STRUCTURE : R.C.C. COLUMN AND BEAM AS PER STRUCTURAL DESIGN.
 : 0.23M THK. EXTERNAL WALL & 0.11M THK. PARTITION WALL.
 : IN CEMENT MORTAR.
 : R.C.C. ROOF SLAB AS PER STRUCTURAL DESIGN.
 FLOOR : I.P.S FLOORING ON P.C.C. BED ALL OVER FLOOR
 INTERNAL FINISH : WHITE WASHING OVER CEMENT PLASTER
 SANITARY : VITROUS CHAINA SANITARY WARE
 : G.I. PIPE WATER SUPPLY.
 : C.I. PIPE FOR DISPOSAL.
 DOORS & WINDOWS : AS PER SCHEDULE.
 ELECTRICAL : COPPER CONDUCTOR WITH P.V.C. CONDUIT.

PROPOSED RESIDENTIAL BUILDING FOR :-
 1) SMT.----- W/O -----
 PLOT NO. :-----
 KHATA NO. :-----
 P.S. :-----
 THANA NO. :-----
 MAUZA :-----
 HALKA NO. :-----
 DISTRICT : SERAIKELLA KHARSAWAN

ALL FLOOR PLAN SECTION & ELEVATION DRG.
 SIGNATURE OF ARCHITECT / ENGINEER
 SCALE : 1:150, 1:150 SHEET NO.- 1 OF 1

SIGNATURE OF OWNER

NOTE:- ALL EXTERNAL OPENINGS MAY CHANGE AS PER ELEVATION DETAILS.

SCHEDULE OF OPENINGS			
SL.NO.	MKD.	SIZE	DESCRIPTION
1.	D1	1.07 M X 2.13M	Pannelled single shutter door.
2.	D2	0.76 M X 2.13M	Pannelled single shutter door.
3.	W	1.83 M X 1.22 M	Pannelled single shutter door.
4.	W1	1.52 M X 1.22 M	Pannelled single shutter door.
5.	W2	1.22 M X 1.22 M	Pannelled single shutter door.
6.	V	0.61M X 0.61M	Top hung steel ventilator.

APPROVED AUTHORITY